



sku	name	Price
<b>4U</b>		
DS10-3304	10 inch 4U server rack white glass door 312x310x264mm (WxDxH)	Call
<b>6U</b>		
DS6606-DOUBLE	6U wall rack (tilting) white glass door 600x600x368mm	Call
DS6606ZP-DOUBLE	6U wall rack (tilting) white glass door and perforated side panels 600x600x368mm	Call
DS6606ZP	6U wall mount server rack white glass door and perforated side panels 600x450x368mm	Call
DS6406	6U wall rack white glass door 600x450x368mm	Call
DS6606	6U wall rack white glass door 600x600x368mm	Call
DS6406-F	6U wall rack unassembled white glass door 600x450x368mm	Call
DS6606-F	6U wall rack unassembled white glass door 600x600x368mm	Call
DS6606W-DOUBLE	6U white wall rack (tilting) white glass door 600x600x368mm	Call
DS6406W	6U white wall mount server rack white glass door 600x450x368mm	Call
DS6606W	6U white wall mount server rack white glass door 600x600x368mm	Call
DS10-3306	10 inch 6U server rack white glass door 312x310x352mm (WxDxH)	Call
<b>9U</b>		
DS6609-DOUBLE	9U wall mount rack (tilting) white glass door 600x600x500mm	Call
DS6609ZP-DOUBLE	9U wall mount rack (tilting) white glass door and perforated side panels 600x600x500mm	Call
DS6609ZP	9U wall rack white glass door - geperforeerde zijpanelen 600x600x500mm	Call
DS6409	9U wall rack white glass door 600x450x500mm	Call
DS6609	9U wall rack white glass door 600x600x500mm	Call
DS6409-F	9U wall rack unassembled white glass door 600x450x500mm	Call
DS6609-F	9U wall rack unassembled white glass door 600x600x500mm	Call
DS6609W-DOUBLE	9U white wall rack (tilting) white glass door 600x600x500mm	Call
DS6409W	9U white wall mount server rack white glass door 600x450x500mm	Call
DS6609W	9U white wall mount server rack white glass door 600x600x500mm	Call
DS10-3309	10 inch 9U server rack white glass door 312x310x486mm (WxDxH)	Call
<b>12U</b>		
DS6012PP	12U mini server rack white perforated door 600x1000x720mm (WxDxH)	Call
DS6612PP-MINI	12U mini server rack white perforated 600x600x720mm (WxDxH)	Call
DS6812PP	12U mini server rack white perforated 600x800x720mm (WxDxH)	Call
DS6012	12U mini server rack white glass door 600x1000x720mm (WxDxH)	Call
DS6612-MINI	12U mini server rack white glass door 600x600x720mm (BxDxH)	Call
DS6812	12U mini server rack white glass door 600x800x720mm (BxDxH)	Call
DS6412-F	12U unassembled wall-mount server rack white glass door 600x450x635mm	Call
DS6612-DOUBLE	12U wall rack (tilting) white glass door 600x600x635mm	Call
DS6612ZP-DOUBLE	12U wall rack (tilting) white glass door and perforated side panels 600x600x635mm	Call
DS6612ZP	12U wall mount server rack white glass door and perforated side panels 600x450x368mm	Call
DS6412	12U wall rack white glass door 600x450x635mm	Call
DS6612	12U wall rack white glass door 600x600x635mm (BxDxH)	Call
DS6612-F	12U wall rack unassembled white glass door 600x600x635mm (BxDxH)	Call
DS6612W-DOUBLE	12U white wall rack (tilting) white glass door 600x600x635mm	Call
DS6412W	12U white wall mount server rack white glass door 600x450x635mm	Call
DS6612W	12U white wall mount server rack white glass door 600x600x635mm	Call
DS10-3312	10 inch 12U server rack white glass door 312x310x618mm (WxDxH)	Call
<b>15U</b>		
DS6015PP	15U mini server rack white perforated door 600x1000x860mm (WxDxH)	Call
DS6615PP-MINI	15U mini server rack white perforated door 600x600x860mm (BxDxH)	Call
DS6815PP	15U mini server rack white perforated door 600x800x860mm (BxDxH)	Call
DS6015	15U mini server rack white glass door 600x1000x860mm (BxDxH)	Call
DS6615-MINI	15U mini server rack white glass door 600x600x860mm (BxDxH)	Call
DS6815	15U mini server rack white glass door 600x800x860mm (BxDxH)	Call
DS6615-DOUBLE	15U wall rack (tilting) white glass door 600x600x770mm	Call
DS6615ZP-DOUBLE	15U wall rack (tilting) white glass door en geperforeerde zijwanden 600x600x770mm	Call
DS6615ZP	15U wall rack white glass door - geperforeerde zijpanelen 600x600x770mm	Call
DS6415	15U wall rack white glass door 600x450x770mm	Call
DS6615	15U wall rack white glass door 600x600x770mm	Call
DS6415-F	15U wall-mount server rack unassembled white glass door 600x450x770mm	Call
DS6615-F	15U wall rack unassembled white glass door 600x600x770mm	Call
DS6615W-DOUBLE	15U white wall rack (tilting) white glass door 600x600x770mm	Call
DS6415W	15U white wall mount server rack white glass door 600x450x770mm	Call
DS6615W	15U white wall mount server rack white glass door 600x600x770mm	Call
DS10-3315	10 inch 15U server rack white glass door 312x310x752mm (WxDxH)	Call
<b>18U</b>		
DS-RR6818	18U relay rack on castors 600x800x1000mm	Call
DS6018PP	18U server rack white perforated door 600x1000x1000mm (BxDxH)	Call
DS6618PP	18U server rack white perforated door 600x600x1000mm (BxDxH)	Call

DS6818PP	18U server rack whiteh perforated door 600x800x1000mm (BxDxH)	Call
DS8018PP	18U server rack whiteh perforated door 800x1000x1000mm (BxDxH)	Call
DS8818PP	18U server rack whiteh perforated door 800x800x1000mm (BxDxH)	Call
DS6018	18U server rack whiteh glass door 600x1000x1000mm (BxDxH)	Call
DS6618	18U server rack whiteh glass door 600x600x1000mm (BxDxH)	Call
DS6818	18U server rack whiteh glass door 600x800x1000mm (BxDxH)	Call
DS8018	18U server rack whiteh glass door 800x1000x1000mm (BxDxH)	Call
DS8818	18U server rack whiteh glass door 800x800x1000mm (BxDxH)	Call
DS6818-F	18U server rack unassembled whiteh glass door 600x800x1000mm (BxDxH)	Call
DS6418	18U wall rack whiteh glass door 600x450x900mm	Call
DS6618-WAND	18U wall rack whiteh glass door 600x600x900mm (BxDxH)	Call
DS6418-F	18U wall rack unassembled whiteh glass door 600x450x900mm	Call
DS6418W	18U white wall mount server rack whiteh glass door 600x450x900mm	Call
DS6618W-WAND	18U white wall mount server rack whiteh glass door 600x600x900mm	Call
<b>22U</b>		
DS6022PP	22U server rack whiteh perforated door 600x1000x1200mm (BxDxH)	Call
DS6622PP	22U server rack whiteh perforated door 600x600x1200mm (BxDxH)	Call
DS6822PP	22U server rack whiteh perforated door 600x800x1200mm (BxDxH)	Call
DS8022PP	22U server rack whiteh perforated door 800x1000x1200mm (BxDxH)	Call
DS8822PP	22U server rack whiteh perforated door 800x800x1200mm (BxDxH)	Call
DS6022	22U server rack whiteh glass door 600x1000x1200mm (BxDxH)	Call
DS6622	22U server rack whiteh glass door 600x600x1200mm (BxDxH)	Call
DS6822	22U server rack whiteh glass door 600x800x1200mm (BxDxH)	Call
DS8022	22U server rack whiteh glass door 800x1000x1200mm (BxDxH)	Call
DS8822	22U server rack whiteh glass door 800x800x1200mm (BxDxH)	Call
DS6822-F	22U server rack unassembled whiteh glass door 600x800x1200mm (BxDxH)	Call
DS-RR6822	22U relay rack on castors 600x800x1200mm	Call
<b>27U</b>		
DS-RR6827	27U relay rack on castors 600x800x1400mm	Call
DS6027PP	27U server rack whiteh perforated door 600x1000x1400mm (BxDxH)	Call
DS6627PP	27U server rack whiteh perforated door 600x600x1400mm (BxDxH)	Call
DS6827PP	27U server rack whiteh perforated door 600x800x1400mm (BxDxH)	Call
DS8027PP	27U server rack whiteh perforated door 800x1000x1400mm (BxDxH)	Call
DS8827PP	27U server rack whiteh perforated door 800x800x1400mm (BxDxH)	Call
DS6027	27U server rack whiteh glass door 600x1000x1400mm (BxDxH)	Call
DS6627	27U server rack whiteh glass door 600x600x1400mm (BxDxH)	Call
DS6827	27U server rack whiteh glass door 600x800x1400mm (BxDxH)	Call
DS8027	27U server rack whiteh glass door 800x1000x1400mm (BxDxH)	Call
DS8827	27U server rack whiteh glass door 800x800x1400mm (BxDxH)	Call
DS6827-F	27U server rack unassembled whiteh glass door 600x800x1400mm (BxDxH)	Call
<b>32U</b>		
DS-RR6832	32U relay rack on castors 600x800x1600mm	Call
DS6032PP	32U server rack whiteh perforated door 600x1000x1600mm (BxDxH)	Call
DS6632PP	32U server rack whiteh perforated door 600x600x1600mm (BxDxH)	Call
DS6832PP	32U server rack whiteh perforated door 600x800x1600mm (BxDxH)	Call
DS8032PP	32U server rack whiteh perforated door 800x1000x1600mm (BxDxH)	Call
DS8832PP	32U server rack whiteh perforated door 800x800x1600mm (BxDxH)	Call
DS6032	32U server rack whiteh glass door 600x1000x1600mm (BxDxH)	Call
DS6632	32U server rack whiteh glass door 600x600x1600mm (BxDxH)	Call
DS6832	32U server rack whiteh glass door 600x800x1600mm (BxDxH)	Call
DS8032	32U server rack whiteh glass door 800x1000x1600mm (BxDxH)	Call
DS8832	32U server rack whiteh glass door 800x800x1600mm (BxDxH)	Call
DS6832-F	32U server rack unassembled whiteh glass door 600x800x1600mm (BxDxH)	Call
<b>37U</b>		
DS-RR6837	37U relay rack on castors 600x800x1800mm	Call
DS6037PP	37U server rack whiteh perforated door 600x1000x1800mm (BxDxH)	Call
DS6637PP	37U server rack whiteh perforated door 600x600x1800mm (BxDxH)	Call
DS6837PP	37U server rack whiteh perforated door 600x800x1800mm (BxDxH)	Call
DS8037PP	37U server rack whiteh perforated door 800x1000x1800mm (BxDxH)	Call
DS8837PP	37U server rack whiteh perforated door 800x800x1800mm (BxDxH)	Call
DS6037	37U server rack whiteh glass door 600x1000x1800mm (BxDxH)	Call
DS6637	37U server rack whiteh glass door 600x600x1800mm (BxDxH)	Call
DS6837	37U server rack whiteh glass door 600x800x1800mm (BxDxH)	Call
DS8037	37U server rack whiteh glass door 800x1000x1800mm (BxDxH)	Call
DS8837	37U server rack whiteh glass door 800x800x1800mm (BxDxH)	Call
DS6837-F	37U server rack unassembled whiteh glass door 600x800x1800mm (BxDxH)	Call
<b>42U</b>		
DS8042DD	42U server rack met dubbele geperforeerde voor- en achterdeuren 800x1000x2000mm (BxDxH)	Call
DS8842DD	42U server rack met dubbele geperforeerde voor- en achterdeuren 800x800x2000mm (BxDxH)	Call
DS6042PP	42U server rack whiteh perforated door 600x1000x2000mm (BxDxH)	Call
DS6242PP	42U server rack whiteh perforated door 600x1200x2000mm (BxDxH)	Call
DS6642PP	42U server rack whiteh perforated door 600x600x2000mm (BxDxH)	Call
DS6842PP	42U server rack whiteh perforated door 600x800x2000mm (BxDxH)	Call
DS8042PP	42U server rack whiteh perforated door 800x1000x2000mm (BxDxH)	Call
DS8242PP	42U server rack whiteh perforated door 800x1200x2000mm (BxDxH)	Call
DS8842PP	42U server rack whiteh perforated door 800x800x2000mm (BxDxH)	Call
DS6042	42U server rack whiteh glass door 600x1000x2000mm (BxDxH)	Call
DS6242	42U server rack whiteh glass door 600x1200x2000mm (BxDxH)	Call
DS6642	42U server rack whiteh glass door 600x600x2000mm (BxDxH)	Call
DS6842	42U server rack whiteh glass door 600x800x2000mm (BxDxH)	Call

DS8042	42U server rack whiteh glass door 800x1000x2000mm (BxDxH)	Call
DS8242	42U server rack whiteh glass door 800x1200x2000mm (BxDxH)	Call
DS8842	42U server rack whiteh glass door 800x800x2000mm (BxDxH)	Call
DS6842-F	42U server rack unassembled whiteh glass door 600x800x2000mm (BxDxH)	Call
DS-RR6842	42U relay rack on castors 600x800x2000mm	Call
<b>47U</b>		
DS6047PP	47U server rack whiteh perforated door 600x1000x2200mm (BxDxH)	Call
DS8047PP	47U server rack whiteh perforated door 800x1000x2200mm (BxDxH)	Call
DS8847PP	47U server rack whiteh perforated door 800x800x2200mm (BxDxH)	Call
DS6847PP	47U server rack whiteh perforated door afmetingen: 600x800x2200mm (BxDxH)	Call
DS6047	47U server rack whiteh glass door 600x1000x2200mm (BxDxH)	Call
DS8047	47U server rack whiteh glass door 800x1000x2200mm (BxDxH)	Call
DS8847	47U server rack whiteh glass door 800x800x2200mm (BxDxH)	Call
DS6847	47U server rack whiteh glass door afmetingen: 600x800x2200mm (BxDxH)	Call
<b>Accessories</b>		
DS10-Blind1	10 inch cover panel - 1U	Call
DS-10Patch5-12FTP	10 Inch CAT5e FTP patch panel - 12 ports	Call
DS-10Patch5-8FTP	10 Inch CAT5e FTP patch panel - 8 ports	Call
DS-10Patch5-12UTP	10 Inch CAT5e UTP patch panel - 12 ports	Call
DS-10Patch5-8UTP	10 Inch CAT5e UTP patch panel - 8 ports	Call
DS-10Patch6-12FTP	10 Inch CAT6 FTP patch paneel - 12 poorts	Call
DS-10Patch6-8FTP	10 Inch CAT6 FTP patch paneel - 8 poorts	Call
DS-10Patch6-12UTP	10 Inch CAT6 UTP patch paneel - 12 poorts	Call
DS-10Patch6-8UTP	10 Inch CAT6 UTP patch paneel - 8 poorts	Call
DS-10Patch6a-12STP	10 Inch CAT6a STP patch paneel - 12 poorts	Call
DS10-Cable	10 inch cable tray whiteh 3 hooks - 1U	Call
DS-FH10	10 inch fixed shelf - 1U	Call
WE-51-318	10 way way power socke whiteh overvoltage protection 1,50m white	Call
DS-WMB12-S	12U Wall Mount Bracket - 180mm deep	Call
DS-WMB12-M	12U Wall Mount Bracket - 300mm deep	Call
DS-CABLETRAY-18U	18U vertical cable tray	Call
DS-CABLETRAY-18U-30	18U vertical cable tray - 30cm breed	Call
DS-8PDU-C13	19 inch 8 way C13 way power socke	Call
DS-8PDU-MO	19 inch 8-way way power socke - master overload	Call
DS-8PDU-SPD	19 inch 8-way way power socke - surge protection device	Call
DS-8PDU-C14	19 inch 8 way way power socke whiteh C14 plug	Call
DS-8PDU-S	19 inch way power socke whiteh 8 sockets and swhiteh	Call
DS-8PDU-PE	19 inch way power socke whiteh 8 sockets and pen earth	Call
DS-9PDU	19 inch 9 way power socke	Call
DS-EARTH	19 inch Earthing strip	Call
DS-Blind1	19 inch cover panel - 1U	Call
DS-Blind2	19 inch cover panel - 2U	Call
DS-Blind3	19 inch cover panel - 3U	Call
DS-Blind4	19 inch cover panel - 4U	Call
DS-Blind5	19 inch cover panel - 5U	Call
DS-Blind6	19 inch cover panel - 6U	Call
DS-DR02	19 inch lockable metal drawer - 2U	Call
DS-DR03	19 inch lockable metal drawer - 3U	Call
DS-DR04	19 inch lockable metal drawer - 4U	Call
DS-LT-D2	19 inch Design LED Verlichting - Multicolor	Call
DS-LT-D1	19 inch Design LED Verlichting - White	Call
DS-TCD1	19 inch digitale thermostaat	Call
DS-Blind1-perf	19 inch geperforeerd cover panel - 1U	Call
DS-Blind2-perf	19 inch geperforeerd cover panel - 2U	Call
DS-LT-G2	19 inch Gooseneck LED Verlichting - Multicolor	Call
DS-LT-G1	19 inch Gooseneck LED Verlichting - White	Call
DS-LT-G3	19 inch Gooseneck LED Verlichting + Dimmer - White/Blue	Call
DS-Cableround	19 Inch Kabelbundel Houder (Verstelbaar)	Call
DS-BCM	19 inch kabelinvoerpaneel met borstel - 1U	Call
26990071	19 inch KVM console-inschuif met USB en PS/2 QWERTY toetsenbord	Call
GV-10642-12	19"patchpaneel LC/SC unassembled 12 poorts uitschuifbaar black	Call
GV-10642-24	19"patchpaneel LC/SC unassembled 24 poorts uitschuifbaar black	Call
GV-10641-12	19"patchpaneel LC/SC/E2000 unassembled 12 poorts uitschuifbaar black	Call
GV-10641-24	19"patchpaneel LC/SC/E2000 unassembled 24 poorts uitschuifbaar black	Call
GV-9335-12	19"patchpaneel ST unassembled 12 poorts vast lichtgrijs	Call
GV-10635-24	19"patchpaneel ST unassembled 24 poorts uitschuifbaar black	Call
DS-1904	1U - 19 inch metalen kabelgoot, 5 haken	Call
DS10-BCM	1U 10 inch kabelinvoerpaneel met borstel	Call
AMK808-17PB	1U 17 inch KVM console met 8 port KVM Swhiteh x PS/2	Call
DS-1903	1U 19 inch metalen kabelgoot met 5 kunststof haken	Call
DS-1902	1U 19 inch metalen kabelgoot met schuifbedekking	Call
DS-Tyrail	1U 19 inch metalen rail voor kabelbinders	Call
DS-FH1U250	1U Legbord voor 450mm deepe wall rack en - 250mm deep (max. 8 kg)	Call
DS-FH1U300	1U Legbord voor 450mm deepe wall rack en - 300mm deep (max. 8 kg)	Call
DS-FH1U350	1U Legbord voor 450mm deepe wall rack en - 350mm deep (max. 8 kg)	Call
DS-FH1U400	1U Legbord voor 600mm deepe wall rack en - 400mm deep (max. 6 kg)	Call
DS-FH1U450	1U Legbord voor 600mm deepe wall rack en - 450mm deep (max. 6 kg)	Call
DS-CABLETRAY-22U	22U vertical cable tray	Call
DS-CABLETRAY-22U-30	22U vertical cable tray - 30cm breed	Call
DS-CABLETRAY-27U	27U vertical cable tray	Call

DS-CABLETRAY-27U-30	27U vertical cable tray - 30cm breed	Call
DS-1904-2U	2U - 19 inch metalen kabelgoot, 5 haken	Call
DS-1902-2U	2U 19 inch metalen kabelgoot met schuifbedekking	Call
DS-FH2U300	2U Legbord voor 450mm diepe wall rack en - 300mm deep (max. 15 kg)	Call
DS-FH2U350	2U Legbord voor 450mm diepe wall rack en - 350mm deep (max. 15 kg)	Call
DS-FH2U400	2U Legbord voor 600mm diepe wall rack en - 400mm deep (max. 12 kg)	Call
DS-FH2U450	2U Legbord voor 600mm diepe wall rack en - 450mm deep (max. 12 kg)	Call
DS-WMB2-S	2U Wall Mount Bracket - 180mm deep	Call
DS-WMB2-M	2U Wall Mount Bracket - 300mm deep	Call
WE-51-293	3 way power socke 1,50m white	Call
WE-51-295	3 way power socke 1,50m black	Call
WE-51-075	3 way power socke 3m white	Call
WE-51-285	3 way power socke met schakelaar 1,50m white	Call
WE-51-083	3 way power socke met schakelaar 3m white	Call
DS-CABLETRAY-32U	32U vertical cable tray	Call
DS-CABLETRAY-32U-30	32U vertical cable tray - 30cm breed	Call
DS-CABLETRAY-37U	37U vertical cable tray	Call
DS-CABLETRAY-37U-30	37U vertical cable tray - 30cm breed	Call
WE-51-280	4 way power socke met overspanningsbeveiliging 1,50m white	Call
WE-93-000	4 way power socke met overspanningsbeveiliging 1,50m black	Call
DS-Wielrem	4 wielen voor server racken, 2x zwenkbaar en 2x met rem	Call
DS-CABLETRAY-42U	42U vertical cable tray	Call
DS-CABLETRAY-42U-30	42U vertical cable tray - 30cm breed	Call
DS-CABLETRAY-47U	47U vertical cable tray	Call
DS-CABLETRAY-47U-30	47U vertical cable tray - 30cm breed	Call
DS-WMB4-S	4U Wall Mount Bracket - 180mm deep	Call
DS-WMB4-M	4U Wall Mount Bracket - 300mm deep	Call
WE-77-115	5-delige UTP tangenset	Call
WE-93-001	6 way aluminium power outlet with overvoltage protection 1,50m black	Call
WE-51-296	6 way power socke 1,50m white	Call
WE-96-049	6 way power socke 1,50m black	Call
WE-51-079	6 way power socke 3m white	Call
WE-96-050	6 way power socket 3m black	Call
WE-51-279	6 way way power socke whiteh overvoltage protection 1,40m white	Call
WE-51-281	6-way way power socke whiteh overvoltage protection 1,50m white	Call
WE-51-288	6 way way power socke whiteh swwhitech 1,50m white	Call
WE-51-290	6 way way power socke whiteh swwhitech 1,50m black	Call
ES6406	6U 19" laptop rack whiteh Premium scallery-tab drawer for 10 devices up to 11"	Call
DS-WMB6-S	6U Wall Mount Bracket - 180mm deep	Call
DS-WMB6-M	6U Wall Mount Bracket - 300mm deep	Call
WE-93-002	8 way aluminium power outlet whiteh overvoltage protection 1,50m black	Call
DS-WMB8-S	8U Wall Mount Bracket - 180mm deep	Call
DS-WMB8-M	8U Wall Mount Bracket - 300mm deep	Call
WE-51-282	8 way way power socke whiteh overvoltage protection 1,50m white	Call